

Virtu Touch

Interactive Bean to Cup Brewer

...because quality is the deciding
factor.....

virtu
the touch of genuine quality



 do JONG DUKE



 The
Coffee
Connection

Virtu Touch

The New Bean to Cup Brewer..... the difference is clear!



Virtu Touch

Unique Selling Points

Critical Success Factors

Features

Advantages

Options

Extra's

56 points worth knowing



Virtu Touch

Virtu

- ☆ visible beans
- ☆ 10.4" touch screen
- ☆ full colour selection display
- ☆ waste bucket sensor with counter and automatic reset (CoEx[®] machines)
- ☆ double cup sensors
- ☆ separate outlet for hot (& cold) water
- ☆ graphical user interface
- ☆ enhanced communication options with each selection™
- ☆ improved pump control to increase efficiency and decrease energy use.
- ☆ increased capacities for soluble products



Virtu Touch

Virtu

- ☆ improved drip tray (sensing & connection)
- ☆ boiler capacity sufficient to keep up with constant coffee output
- ☆ USB connection for easy update / download of configuration files, O.S. and EVA-DTS file™
- ☆ extra memory possible with 2nd USB port
- ☆ large improved cup stand.
- ☆ increased possibilities of branding and advertising
- ☆ consumptions and recipes can be individually programmed.
- ☆ user defined counters can be created.
- ☆ increased volume of filterfresh® brewer
- ☆ display brightness can be controlled to save energy and increase lifecycle of display™



Virtu Touch

Virtu

- ☆ easy removal of waste bucket
- ☆ bean canister can be cleaned without use of tools
- ☆ slim door and elegant design gives a smaller impression of the machine.
- ☆ removable brew chamber for easy cleaning (filterfresh®)
- ☆ improved boiler level sensor (filterfresh®)
- ☆ easier removal of waste bucket
- ☆ standard prepared for cold water connection
- ☆ language, text and messages can be programmed individually
- ☆ audio feedback⁽¹⁾, music, mp3 commercials possible
- ☆ grinder easily removable and adjustable



Virtu Touch

Virtu

- ☆ open door can activate service mode or other menu's
- ☆ majority of parts and components are the same (exception is display and electronics)
- ☆ instant, filterfresh®, bean2cup and bean2filter
- ☆ easy mounting and connection of payment systems (MDB)
- ☆ visual assistance in DIY situations (images in display)[†]
- ☆ designed top lid
- ☆ double beans/grinder possible[†]
- ☆ design matching base cabinet
- ☆ table stand for 2 litre jugs[†]
- ☆ high capacity instant (6 or 9 kW)[†]



Virtu Touch

Virtu

- ☆ optimized jug fill with larger brewer (filterfresh®)
- ☆ number selection possible
- ☆ easy placement of waste guide
- ☆ change giver (MDB) possible inside medium size[†]
- ☆ simultaneous dispense (Virtu 30 series)[†]
- ☆ improved waste guide for drip tray
- ☆ silent high quality grinder (swiss)
- ☆ table with cup dispenser
- ☆ condiment tray's for tea bags & sticks
- ☆ cup mechanism with 220 cups (7 Oz sq)



Virtu Touch

Virtu extra

- ☆ optional : fresh milk version (Virtu 81|24 FM) ⁽¹⁾⁽²⁾
- ☆ optional : connectivity ⁽¹⁾⁽²⁾
- ☆ optional : cup stand sensor (automatic jug selection screen) ⁽¹⁾⁽²⁾
- ☆ optional : cold water (including carbonated)
- ☆ optional : jug facility / secretary key
- ☆ optional : customised Graphical User Interface



 de JONG DUKE

REGULIERE Kwaliteit bij elke BESLIDING. © 2014 de Jong Duke

 de JONG DUKE

 The
Coffee
Connection

Virtu Touch

V i r t u
the touch of genuine quality

Thank you